

LAGERMATTEN LIEFERPROGRAMM FÜR ÖSTERREICH DER BSTG GMBH – LINZ

A - Matten			as längs quer [cm²/m]	Stababst. längs quer [mm]	Stab-Durchmesser		Anzahl LD2		Überstände		Gew. / Matte [kg]	Matten / Bund [St.]	Gew. / Bund [to]
Typ	Länge [m]	Breite [m]			LD1 QD1 [mm]	LD2 [mm]	links [St.]	rechts [St.]	Anfang links [mm]	Ende rechts [mm]			
A 60	6,00	2,40	2,83	100	6,0			150	150	39,36	50	1,968	
			0,65	300	5,0			50	50				
A 70	6,00	2,40	3,85	100	7,0			150	150	52,46	40	2,098	
			0,79	300	5,5			50	50				
A 82	6,00	2,40	5,28	100	8,2			150	150	72,24	30	2,167	
			1,11	300	6,5			50	50				

AQ - Matten			as längs quer [cm²/m]	Stababst. längs quer [mm]	Stab-Durchmesser		Anzahl LD2		Überstände		Gew. / Matte [kg]	Matten / Bund [St.]	Gew. / Bund [to]
Typ	Länge [m]	Breite [m]			LD1 QD1 [mm]	LD2 [mm]	links [St.]	rechts [St.]	Anfang links [mm]	Ende rechts [mm]			
AQ 42	6,00	2,40	1,39	100	4,2			50	50	31,39	50	1,570	
			1,39	100	4,2			50	50				
AQ 50	6,00	2,40	1,96	100	5,0			50	50	44,35	50	2,218	
			1,96	100	5,0			50	50				
AQ 55	6,00	2,40	2,38	100	5,5			50	50	53,86	50	2,693	
			2,38	100	5,5			50	50				
AQ 60	6,00	2,40	2,83	100	6,0			50	50	63,94	30	1,918	
			2,83	100	6,0			50	50				
AQ 65	6,00	2,40	3,32	100	6,5			50	50	74,88	30	2,246	
			3,32	100	6,5			50	50				
AQ 70	6,00	2,40	3,85	100	7,0			50	50	86,98	20	1,740	
			3,85	100	7,0			50	50				
AQ 76	6,00	2,40	4,54	100	7,6			50	50	102,53	20	2,051	
			4,54	100	7,6			50	50				
AQ 82	6,00	2,40	5,28	100	8,2			50	50	119,52	20	2,390	
			5,28	100	8,2			50	50				
AQ 90	6,00	2,40	6,36	100	9,0			50	50	143,71	10	1,437	
			6,36	100	9,0			50	50				
AQ 100	6,00	2,40	7,85	100	10,0			50	50	177,70	10	1,777	
			7,85	100	10,0			50	50				

AS - Matten			as längs quer [cm²/m]	Stababst. längs quer [mm]	Stab-Durchmesser		Anzahl LD2		Überstände		Gew. / Matte [kg]	Matten / Bund [St.]	Gew. / Bund [to]
Typ	Länge [m]	Breite [m]			LD1 QD1 [mm]	LD2 [mm]	links [St.]	rechts [St.]	Anfang links [mm]	Ende rechts [mm]			
AS 30	6,00	2,40	0,71	100	3,0	3,0	2	2	150	150	10,800	100	1,080
			0,24	300	3,0			50	50				
AS 90	5,10	2,40	6,36	100	9,0	7,0	2	2	150	150	70,258	20	17,199
	6,00										82,656	20	20,234
	7,20										99,187	15	18,211
	8,10										111,586	15	20,487
AS 100	5,10	2,40	7,85	100	10,0	7,0	2	2	150	150	86,170	20	21,094
	6,00										101,376	20	24,817
	7,20										121,651	15	22,335
	8,10										136,858	15	25,127



CS - Matten			as längs quer [cm²/m]	Stababst. längs quer [mm]	Stab-Durchmesser		Anzahl LD2		Überstände		Gew. / Matte [kg]	Matten / Bund [St.]	Gew. / Bund [to]
Typ	Länge [m]	Breite [m]			LD1 QD1 [mm]	LD2 [mm]	links [St.]	rechts [St.]	Anfang links [mm]	Ende rechts [mm]			
CS 70	5,10	2,40	2,57	150	7,0	6,0	2	2	150	150	34,272	50	1,714
	6,00										40,320	50	2,016
	7,20		0,94	300	6,0	50	50	48,384	30	1,452			
	8,10							54,432	30	1,633			
CS 80	5,10	2,40	3,35	150	8,0	6,0	2	2	150	150	40,392	40	1,616
	6,00										47,520	40	1,901
	7,20		0,94	300	6,0	50	50	57,024	20	1,140			
	8,10							64,152	20	1,283			
CS 90	5,10	2,40	4,24	150	9,0	6,0	2	2	150	150	47,246	40	1,890
	6,00										55,584	40	2,223
	7,20		0,94	300	6,0	50	50	66,701	20	1,334			
	8,10							75,038	20	1,501			
CS 100	5,10	2,40	5,24	150	10,0	7,0	2	2	150	150	60,221	20	1,204
	6,00										70,848	20	1,417
	7,20		1,28	300	7,0	50	50	85,018	20	1,700			
	8,10							95,645	20	1,913			

AQS - Matten			as längs quer [cm²/m]	Stababst. längs quer [mm]	Stab-Durchmesser		Anzahl LD2		Überstände		Gew. / Matte [kg]	Matten / Bund [St.]	Gew. / Bund [to]
Typ	Länge [m]	Breite [m]			LD1 QD1 [mm]	LD2 [mm]	links [St.]	rechts [St.]	Anfang links [mm]	Ende rechts [mm]			
AQS 30	6,00	2,40	0,71	100	3,0	3,0	2	2	100	100	16,416	100	1,642
			0,71										
AQS 90	5,10	2,40	6,36	100	9,0	7,0	2	2	100	100	121,176	10	1,212
	6,00										142,560	10	1,426
	7,20		6,36	300	9,0	50	50	171,072	10	1,711			
	8,10							192,456	10	1,925			
AQS 100	5,10	2,40	7,85	100	10,0	7,0	2	2	100	100	148,226	10	1,482
	6,00										174,384	10	1,744
	7,20		7,85	100	10,0	50	50	209,261	10	2,093			
	8,10							235,418	10	2,354			

CQS - Matten			as längs quer [cm²/m]	Stababst. längs quer [mm]	Stab-Durchmesser		Anzahl LD2		Überstände		Gew. / Matte [kg]	Matten / Bund [St.]	Gew. / Bund [to]
Typ	Länge [m]	Breite [m]			LD1 QD1 [mm]	LD2 [mm]	links [St.]	rechts [St.]	Anfang links [mm]	Ende rechts [mm]			
CQS 50	5,10	2,40	1,31	150	5,0	5,0	2	2	150	150	26,438	50	1,322
	6,00										31,104	50	1,555
	7,20		1,31	150	5,0	50	50	37,325	40	1,493			
	8,10							41,990	40	1,680			
CQS 60	5,10	2,40	1,88	150	6,0	6,0	2	2	150	150	38,066	50	1,903
	6,00										44,784	50	2,239
	7,20		1,88	150	6,0	50	50	53,741	30	1,612			
	8,10							60,458	30	1,814			
CQS 70	5,10	2,40	2,57	150	7,0	6,0	2	2	150	150	50,184	40	2,007
	6,00										59,040	40	2,362
	7,20		2,57	150	7,0	50	50	70,848	20	1,417			
	8,10							79,704	20	1,594			
CQS 80	5,10	2,40	3,35	150	8,0	6,0	2	2	150	150	64,138	30	1,924
	6,00										75,456	30	2,264
	7,20		3,35	150	8,0	50	50	90,547	20	1,811			
	8,10							101,866	20	2,037			
CQS 90	5,10	2,40	4,24	150	9,0	6,0	2	2	150	150	80,050	20	1,601
	6,00										94,176	20	1,884
	7,20		4,24	150	9,0	50	50	113,011	15	1,695			
	8,10							127,138	15	1,907			
CQS 100	5,10	2,40	5,24	150	10,0	7,0	2	2	150	150	99,389	20	1,988
	6,00										116,928	20	2,339
	7,20		5,24	150	10,0	50	50	140,314	15	2,105			
	8,10							157,853	15	2,368			

